

Degson Link Bars – PC Series

Specifications

Conductor material: Copper/copper alloy

Number of potentials: 2

Operating temperature: -40°C – 105°C

Manufacturer: Degson

Product advantages

- Plug-in bridge
- Screw type bridge
- Flexible circuit connection can be realised

Product details


Part No.	Size (mm ²)	Ways	Pitch (mm)
FBRI2-5N	2.5	2	5.2
FBRI3-5N	2.5	3	5.2
FBRI5-5N	2.5	5	5.2
FBRI10-5N	2.5	10	5.2
FBI10-6	4.0	10	6.2
FBI10-8	6.0	10	8.2
FBI10-10	10.0	10	10.2
FBI10-12	16.0	10	12.2
FBI4-6	4.0	4	6.2
FBI3-6	4.0	3	6.2
FBI3-15	35.0	3	15.2
FBI2-10	10.0	2	10.2
FBI2-12	16.0	2	12.2
FBI2-15	35.0	2	15.2

*MOQs may apply

Product Images and Dimensions


FBR10-5N, FBR15-5N, FBR13-5N and FBR12-5N

Images based on FBR10-5N – dimensions relevant for all




FBI10-6, FBI4-6 and FBI3-6

Images based on FBI10-6 – dimensions relevant for all




Product Images and Dimensions cont...

FBI10-8



FBI10-10 and FBI2-10


Images based on FBI10-10 – dimensions relevant for all



Product Images and Dimensions cont...



FBI10-12 and FBI2-12

Images based on FBI10-12 – dimensions relevant for all



FBI3-15 and FBI2-15

Images based on FBI3-15 – dimensions relevant for all



Subject to change without notice